



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

SECTION 1: Identification

1.1 Product identifier

Trade name **Adam's Strip Wash Plus**
ADP907-02

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Wax stripping vehicle wash
Vehicle wash detergent
Professional use
Industrial use

HS code 3402.41.90

1.3 Details of the supplier of the safety data sheet

Adam's Polishes Inc.
8225 North Valley Hwy.
Thornton CO 80221
720-484-5059

tips@adamspolishes.com
www.adamspolishes.com

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500
24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Hazard class and category	Hazard statement
A.3	serious eye damage/eye irritation	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H319 Causes serious eye irritation.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

- Precautionary statements

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Hazardous ingredients acc. to GHS			
Name of substance	Identifier	Wt%	Classification acc. to GHS
cocamidopropylhydroxysultaine	CAS No 68139-30-0	1 - < 5	Eye Irrit. 2A / H319
sulfamic acid	CAS No 5329-14-6	1 - < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319
Dimethyldodecylamine-N-oxide	CAS No 1643-20-5	1 - < 5	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318
dipropylene glycol monomethyl ether	CAS No 34590-94-8	1 - < 5	Flam. Liq. 4 / H227

Remarks

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂)

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedings.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as
frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	(2-methoxy-methylethoxy)propanol	34590-94-8	TLV®	100		150					AC-GIH® 2019
US	dipropylene glycol methyl ether	34590-94-8	PEL (CA)	100	600	150	900			H	Cal/O SHA PEL
US	dipropylene glycol methyl ether	34590-94-8	REL	100 (10 h)	600 (10 h)	150	900			H	NIOSH REL
US	dipropylene glycol methyl ether	34590-94-8	PEL	100	600					H	29 CFR 1910.1000

Notation

- Ceiling-C ceiling value is a limit value above which exposure should not occur
- H absorbed through the skin
- STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
- TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
sulfamic acid	5329-14-6	DNEL	70 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
sulfamic acid	5329-14-6	DNEL	10 mg/kg	human, dermal	worker (industry)	chronic - systemic



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
			bw/day			effects
Dimethyldodecylamine-N-oxide	1643-20-5	DNEL	6.2 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Dimethyldodecylamine-N-oxide	1643-20-5	DNEL	11 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
dipropylene glycol monomethyl ether	34590-94-8	DNEL	950 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
dipropylene glycol monomethyl ether	34590-94-8	DNEL	404 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
sulfamic acid	5329-14-6	PNEC	1.8 mg/l	aquatic organisms	freshwater	short-term (single instance)
sulfamic acid	5329-14-6	PNEC	0.18 mg/l	aquatic organisms	marine water	short-term (single instance)
sulfamic acid	5329-14-6	PNEC	20 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sulfamic acid	5329-14-6	PNEC	8.4 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
sulfamic acid	5329-14-6	PNEC	0.84 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
sulfamic acid	5329-14-6	PNEC	5 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dimethyldodecylamine-N-oxide	1643-20-5	PNEC	0.034 mg/l	aquatic organisms	freshwater	short-term (single instance)
Dimethyldodecylamine-N-oxide	1643-20-5	PNEC	0.003 mg/l	aquatic organisms	marine water	short-term (single instance)
Dimethyldodecylamine-N-oxide	1643-20-5	PNEC	24 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dimethyldodecylamine-N-oxide	1643-20-5	PNEC	5.2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dimethyldodecylamine-N-oxide	1643-20-5	PNEC	0.52 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dimethyldodecylamine-N-oxide	1643-20-5	PNEC	1 mg/kg	terrestrial organisms	soil	short-term (single instance)
dipropylene glycol monomethyl ether	34590-94-8	PNEC	4,168 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
dipropylene glycol monomethyl ether	34590-94-8	PNEC	19 mg/l	aquatic organisms	freshwater	short-term (single instance)
dipropylene glycol monomethyl ether	34590-94-8	PNEC	1.9 mg/l	aquatic organisms	marine water	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
dipropylene glycol monomethyl ether	34590-94-8	PNEC	4,168 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
dipropylene glycol monomethyl ether	34590-94-8	PNEC	2.2 mg/kg	terrestrial organisms	soil	short-term (single instance)
dipropylene glycol monomethyl ether	34590-94-8	PNEC	192 mg/l	aquatic organisms	water	intermittent release

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	yellow
Particle	not relevant (liquid)
Odor	fruity and zesty

Other safety parameters

pH (value)	3.5 – 4.5 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

Flash point	>100 °C at 101 kPa
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)

Explosive limits

- Lower explosion limit (LEL)	1.1 vol%
- Upper explosion limit (UEL)	3 vol%
Vapor pressure	32 hPa at 25 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available

Solubility(ies)

- Water solubility	miscible in any proportion
--------------------	----------------------------

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	270 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

Temperature class (USA, acc. to NEC 500)	T2B (maximum permissible surface temperature on the equipment: 260 °C)
--	--

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
Dimethyldodecylamine-N-oxide	1643-20-5	oral	500 mg/kg

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
cocamidopropylhydroxysultaine	68139-30-0	dermal	LD50	>2,000 mg/kg	rabbit
cocamidopropylhydroxysultaine	68139-30-0	oral	LD50	3,020 mg/kg	rat
sulfamic acid	5329-14-6	oral	LD50	2,140 mg/kg	rat
sulfamic acid	5329-14-6	dermal	LD50	>2,000 mg/kg	rat
dipropylene glycol monomethyl ether	34590-94-8	oral	LD50	5,230 mg/kg	rat
dipropylene glycol monomethyl ether	34590-94-8	dermal	LD50	14,000 mg/kg	rabbit

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
cocamidopropylhydroxysultaine	68139-30-0	LC50	1.7 – 2 mg/l	algae	72 h
cocamidopropylhydroxysultaine	68139-30-0	LC50	1.7 – 2 mg/l	daphnia	48 h
cocamidopropylhydroxysultaine	68139-30-0	LC50	1.7 – 2 mg/l	fish	96 h
cocamidopropylhydroxysultaine	68139-30-0	EC50	11 mg/l	aquatic invertebrates	48 h
cocamidopropylhydroxysultaine	68139-30-0	ErC50	0.32 mg/l	algae	72 h
sulfamic acid	5329-14-6	LC50	70 mg/l	fish	96 h
sulfamic acid	5329-14-6	EC50	72 mg/l	aquatic invertebrates	24 h
sulfamic acid	5329-14-6	ErC50	48 mg/l	algae	72 h
dipropylene glycol monomethyl ether	34590-94-8	LC50	>150 mg/l	fish	72 h
dipropylene glycol monomethyl ether	34590-94-8	ErC50	>969 mg/l	algae	72 h

Aquatic toxicity (chronic) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sulfamic acid	5329-14-6	EC50	>60 mg/l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT UN 3082

Not regulated under DOT until packaged in single containers larger than 119 gallons each (liquid) or 882 lbs each (solid).

IMDG-Code UN 3082

ICAO-TI UN 3082

14.2 UN proper shipping name

DOT Environmentally hazardous substance, liquid, n.o.s.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

ICAO-TI Environmentally hazardous substance, liquid, n.o.s.

Technical name (hazardous ingredients) cocamidopropylhydroxysultaine, sulfamic acid

14.3 Transport hazard class(es)

DOT 9

IMDG-Code 9

ICAO-TI 9

14.4 Packing group

DOT III

IMDG-Code III

ICAO-TI III

14.5 Environmental hazards

hazardous to the aquatic environment

Environmentally hazardous substance (aquatic environment) cocamidopropylhydroxysultaine, sulfamic acid

14.6 Special precautions for user

There is no additional information.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not regulated under DOT until packaged in single containers larger than 119 gallons each - liquid, or 882 lbs each - solid.

Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: cocamidopropylhydroxysultaine, sulfamic acid), 9, III
Reportable quantity (RQ)	10,683,761 lbs (4,850,427 kg) (sodium hydroxide) (1,4-dioxane)
Danger label(s)	9, fish and tree
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	8, 146, 173, 335, IB3, T4, TP1, TP29
ERG No	171

International Maritime Dangerous Goods Code (IMDG)

Marine pollutant	yes (hazardous to the aquatic environment) (cocamidopropylhydroxysultaine)
Danger label(s)	9, fish and tree
Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A

International Civil Aviation Organization (ICAO-IATA/DGR)

Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	9, fish and tree
Special provisions (SP)	A97, A158, A197
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

Cleaning Product Right to Know Act Substance List (CA-RTK)			
Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	solvent	
cocamidopropylhydroxysultaine	68139-30-0	surfactant	
sulfamic acid	5329-14-6	cleaning agent	
Dimethyldodecylamine-N-oxide	1643-20-5	surfactant	
dipropylene glycol monomethyl ether	34590-94-8	surfactant	
proprietary nonionic surfactant blend	proprietary		
tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate	51981-21-6	chelate / sequestrant	
N,N-dimethyltetradecylamine N-oxide	3332-27-2	surfactant	
Glycerine	56-81-5	humectant	
sodium 1-octanesulfonate - substance	5324-84-5	surfactant	
sodium chloride	7647-14-5	viscosity modifier	
sodium [dodecanoyl(methyl)amino]acetate	137-16-6	surfactant	
sodium sulfate	7757-82-6	cleaning agent	
propan-2-ol	67-63-0	alcohols	OEHHA RELs
citral	5392-40-5	fragrance	
C.I. Acid Yellow 17	6359-98-4	colorant	

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
dipropylene glycol monomethyl ether	34590-94-8	A, O	

Legend

- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
- O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910,



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

Legend

subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
dipropylene glycol monomethyl ether	34590-94-8		F2
sulfamic acid	5329-14-6		CO

Legend

CO Corrosive
F2 Flammable - Second Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
PROPANOL, (2-METHOXYMETHYLETH-OXY)-	34590-94-8	

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
dipropylene glycol monomethyl ether	34590-94-8	T

Legend

T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals				
Name acc. to inventory	CAS No	Wt%	Remarks	Type of the toxicity
1,4-dioxane	123-91-1	0.0000012		cancer

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA) 1.2 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB) 1.2 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

Category	Rating	Description
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

Chronic: chronic hazard
Flammability: flammability hazards
Health: health hazard
Personal protection: personal protective equipment (PPE) for normal use
Physical hazard: reactivity

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
US	TSCA	all ingredients are listed (ACTIVE)

Legend

TSCA Toxic Substance Control Act

Additional information

The contained substances are listed in the following national inventories:
TSCA (United States)

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").
Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.1	Trade name: Adam's Strip Wash Plus	Trade name: Adam's Strip Wash PlusADP907-02	yes
1.2		HS code:	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
		3402.41.90	
3.2		Hazardous ingredients acc. to GHS: change in the listing (table)	yes
3.2	Remarks: For full text of abbreviations: see SECTION 16.	Remarks: For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret.	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
9.1	Density: 1 g/ml	Density: not determined	yes
9.1		Relative density: Information on this property is not available	yes
11.1		Acute toxicity of components: change in the listing (table)	yes
14.7	Reportable quantity (RQ): 854,700,855 lbs (388,034,188 kg) (1,4-dioxane)	Reportable quantity (RQ): 10,683,761 lbs (4,850,427 kg) (sodium hydroxide) (1,4-dioxane)	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		Proposition 65 List of chemicals: change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes
15.1		Additional information: The contained substances are listed in the following national inventories: TSCA (United States)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

Abbr.	Descriptions of used abbreviations
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EmS	Emergency Schedule
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Strip Wash Plus

Version number: GHS 3.0
Replaces version of: 2024-04-03 (GHS 2)

Revision: 2024-11-22

Abbr.	Descriptions of used abbreviations
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H227	Combustible liquid.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.