



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0
Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

SECTION 1: Identification

1.1 Product identifier

Trade name **Adam's Tire & Rubber Cleaner**
ADP105-01

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Tire / rubber cleaner
Professional use
Industrial use

HS code 3402.39.90.

1.3 Details of the supplier of the safety data sheet

Adam's Polishes Inc.
8225 North Valley Hwy.
Thornton CO 80221
720-484-5059

tips@adamspolishes.com
www.adamspolishes.com

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500
24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Hazard class and category	Hazard statement
A.2	skin corrosion/irritation	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	Eye Dam. 1	H318
B.16	substance or mixture corrosive to metals	Met. Corr. 1	H290

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS05





Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0
Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

- Hazard statements

H290 May be corrosive to metals.
H315 Causes skin irritation.
H318 Causes serious eye damage.

- Precautionary statements

P234 Keep only in original container.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 If on skin: Wash with plenty of water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).
P362 Take off contaminated clothing and wash before reuse.
P390 Absorb spillage to prevent material damage.
P406 Store in corrosive resistant container with a resistant inner liner.

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Hazardous ingredients acc. to GHS			
Name of substance	Identifier	Wt%	Classification acc. to GHS
sodium metasilicate, anhydrous	CAS No 6834-92-0	0.1 - < 1	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Corr. 1 / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 Met. Corr. 1 / H290

Remarks

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0
Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂)

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

not required

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0
Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation
Use local and general ventilation. Use only in well-ventilated areas.
- Handling of incompatible substances or mixtures
Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Corrosive conditions
Store in corrosive resistant container with a resistant inner liner.

Control of the effects

Protect against external exposure, such as
frost

- Packaging compatibilities
Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)
this information is not available

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
sodium metasilicate, anhydrous	6834-92-0	DNEL	6.2 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
sodium metasilicate, anhydrous	6834-92-0	DNEL	1.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
sodium metasilicate, anhydrous	6834-92-0	PNEC	7.5 mg/l	aquatic organisms	freshwater	short-term (single instance)
sodium metasilicate,	6834-92-0	PNEC	1 mg/l	aquatic organisms	marine water	short-term (single



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0
Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
anhydrous						instance)
sodium metasilicate, anhydrous	6834-92-0	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	orange
Particle	not relevant (liquid)
Odor	citrus

Other safety parameters

pH (value)	12 – 12 (25 °C) (base)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 101 kPa
Evaporation rate	Not determined



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0

Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	32 hPa at 25 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available

Solubility(ies)

- Water solubility	miscible in any proportion
--------------------	----------------------------

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined

Viscosity

- Kinematic viscosity	<10 cSt at 40 °C
Explosive properties	none
Oxidizing properties	none
	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0
Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
sodium metasilicate, anhydrous	6834-92-0	oral	1,152 mg/kg
sodium metasilicate, anhydrous	6834-92-0	inhalation: vapor	>2.1 mg/4h
sodium metasilicate, anhydrous	6834-92-0	inhalation: dust/mist	0.5 mg/4h

Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
sodium metasilicate, anhydrous	6834-92-0	oral	LD50	1,152 – 1,349 mg/kg	rat
sodium metasilicate, anhydrous	6834-92-0	inhalation: vapor	LC50	>2.1 mg/4h	rat
sodium metasilicate, anhydrous	6834-92-0	dermal	LD50	>5,000 mg/kg	bee

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0
Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT	UN 3267
IMDG-Code	UN 3267
ICAO-TI	UN 3267

14.2 UN proper shipping name

DOT	Corrosive liquid, basic, organic, n.o.s.
IMDG-Code	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
ICAO-TI	Corrosive liquid, basic, organic, n.o.s.
Technical name (hazardous ingredients)	sodium metasilicate, anhydrous, Orange oil, sweet

14.3 Transport hazard class(es)

DOT	8
-----	---



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0


Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22


IMDG-Code	8
ICAO-TI	8
14.4 Packing group	
DOT	III
IMDG-Code	III
ICAO-TI	III
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6 Special precautions for user	There is no additional information.
14.7 Transport in bulk according to IMO instruments	The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Particulars in the shipper's declaration	UN3267, Corrosive liquid, basic, organic, n.o.s., (sodium metasilicate, anhydrous, Orange oil, sweet, solution), 8, III
Reportable quantity (RQ)	8,568,687 lbs (3,890,184 kg) (sodium hydroxide) (1,4-dioxane)
Danger label(s)	8
	
Special provisions (SP)	IB3, T7, TP1, TP28
ERG No	153

International Maritime Dangerous Goods Code (IMDG)

Marine pollutant	-
Danger label(s)	8
	
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
Segregation group	18 - Alkalis



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0
Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

International Civil Aviation Organization (ICAO-IATA/DGR)

Danger label(s) 8



Special provisions (SP) A3

Excepted quantities (EQ) E1

Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

Cleaning Product Right to Know Act Substance List (CA-RTK)			
Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	solvent	
proprietary nonionic surfactant blend	proprietary		
tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate	51981-21-6	chelate / sequestrant	
sodium metasilicate, anhydrous	6834-92-0	cleaning agent	
Orange oil, sweet	8008-57-9	fragrance	
sodium hydroxide	1310-73-2	pH adjusting agent	OEHHA RELs

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals				
Name acc. to inventory	CAS No	Wt%	Remarks	Type of the toxicity
1,4-dioxane	123-91-1	0.0000015		cancer

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA) 0.064 %

- Regulated Volatile Organic Compounds (VOC-Cal ARB) 0.064 %



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0
Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

Chronic: chronic hazard
Flammability: flammability hazards
Health: health hazard
Personal protection: personal protective equipment (PPE) for normal use
Physical hazard: reactivity

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
US	TSCA	all ingredients are listed (ACTIVE)

Legend

TSCA Toxic Substance Control Act

Additional information

The contained substances are listed in the following national inventories:
TSCA (United States)

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").
Restructuring: section 9, section 14



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0

Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.1	Trade name: Adam's Tire & Rubber Cleaner	Trade name: Adam's Tire & Rubber CleanerADP105-01	yes
2.1		Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
3.2		Hazardous ingredients acc. to GHS: change in the listing (table)	yes
5.2	Special hazards arising from the substance or mixture	Special hazards arising from the substance or mixture: Substance or mixture corrosive to metals.	yes
7.2		Managing of associated risks	yes
7.2		- Corrosive conditions: Store in corrosive resistant container with a resistant inner liner.	yes
7.2		- Packaging compatibilities: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.	yes
8.1		Relevant PNECs of components: change in the listing (table)	yes
9.1	Density: 1 g/ml	Density: not determined	yes
9.1		Relative density: Information on this property is not available	yes
9.1	Dynamic viscosity: 10 cP at 40 °C		yes
10.1	Reactivity: Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".	Reactivity: Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.	yes
11.1		Acute toxicity estimate (ATE) of components: change in the listing (table)	yes
11.1		Acute toxicity of components: change in the listing (table)	yes
13.1	Waste treatment of containers/packages: Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	Waste treatment of containers/packages: Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	yes
14.1	UN number: not subject to transport regulations	UN number	yes
14.1		DOT: UN 3267	yes
14.1		IMDG-Code: UN 3267	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0

Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.1		ICAO-TI: UN 3267	yes
14.2	UN proper shipping name: not relevant	UN proper shipping name	yes
14.2		DOT: Corrosive liquid, basic, organic, n.o.s.	yes
14.2		IMDG-Code: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	yes
14.2		ICAO-TI: Corrosive liquid, basic, organic, n.o.s.	yes
14.2		Technical name (hazardous ingredients): sodium metasilicate, anhydrous, Orange oil, sweet	yes
14.3	Transport hazard class(es): none	Transport hazard class(es)	yes
14.3		DOT: 8	yes
14.3		IMDG-Code: 8	yes
14.3		ICAO-TI: 8	yes
14.4	Packing group: not assigned	Packing group	yes
14.4		DOT: III	yes
14.4		IMDG-Code: III	yes
14.4		ICAO-TI: III	yes
14.7	Transport of dangerous goods by road or rail (49 CFR US DOT): Not subject to transport regulations.	Transport of dangerous goods by road or rail (49 CFR US DOT)	yes
14.7		Particulars in the shipper's declaration: UN3267, Corrosive liquid, basic, organic, n.o.s., (sodium metasilicate, anhydrous, Orange oil, sweet, solution), 8, III	yes
14.7		Reportable quantity (RQ): 8,568,687 lbs (3,890,184 kg) (sodium hydroxide) (1,4-dioxane)	yes
14.7		Danger label(s): 8	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): IB3, T7, TP1, TP28	yes
14.7		ERG No: 153	yes
14.7	International Maritime Dangerous Goods Code (IM- DG):	International Maritime Dangerous Goods Code (IM- DG)	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0

Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
	Not subject to IMDG.		
14.7		Marine pollutant: -	yes
14.7		Danger label(s): 8	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): 223, 274	yes
14.7		Excepted quantities (EQ): E1	yes
14.7		Limited quantities (LQ): 5 L	yes
14.7		EmS: F-A, S-B	yes
14.7		Stowage category: A	yes
14.7		Segregation group: 18 - Alkalis	yes
14.7	International Civil Aviation Organization (ICAO-IATA/DGR): Not subject to ICAO-IATA.	International Civil Aviation Organization (ICAO-IATA/DGR)	yes
14.7		Danger label(s): 8	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): A3	yes
14.7		Excepted quantities (EQ): E1	yes
14.7		Limited quantities (LQ): 1 L	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes
16		List of relevant phrases (code and full text as stated in section 2 and 3): change in the listing (table)	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0
Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
ED	Endocrine disruptor
EmS	Emergency Schedule
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STOT SE	Specific target organ toxicity - single exposure



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Tire & Rubber Cleaner

Version number: GHS 13.0
Replaces version of: 2024-07-25 (GHS 12)

Revision: 2024-11-22

Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.