

Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

SECTION 1: Identification

1.1 Product identifier

Trade name **Armor All Extreme Wheel and Tire Cleaner**
Alternative number(s) 070612780904

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.
25225 Detroit Rd.
Westlake OH 44145
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)
e-mail: Autocare.regulatory@energizer.com
Website: <https://data.energizer.com>

1.4 Emergency telephone number

Emergency information service FOR EMERGENCY in USA & Canada CALL +1 800 255-3924 / For International CALL +1 813 248 0585
This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

- Hazard statements

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear eye protection/face protection.
P302+P352 If on skin: Wash with plenty of water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see on this label).
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with national regulations.

- Hazardous ingredients for labelling Cocamidopropyl betaine

2.3 Other hazards

Hazards not otherwise classified

Contains Cocamidopropyl betaine. May produce an allergic reaction.

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.



SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures


Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Diethylene glycol mono-hexyl ether	CAS No 112-59-4	1 - < 5	Acute Tox. 4 / H312 Eye Dam. 1 / H318	
disodium metasilicate	CAS No 6834-92-0	< 1	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 Met. Corr. 1 / H290 cD / OSHA003	

Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Cocamidopropyl betaine	CAS No 61789-40-0	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317	

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not

Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as
frost

7.3 Specific end use(s)

See section 16 for a general overview.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)
this information is not available

Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Diethylene glycol monohexyl ether	112-59-4	DNEL	16.3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Diethylene glycol monohexyl ether	112-59-4	DNEL	50 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Cocamidopropyl betaine	61789-40-0	DNEL	8.22 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Cocamidopropyl betaine	61789-40-0	DNEL	2.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Diethylene glycol monohexyl ether	112-59-4	PNEC	1.963 mg/l	aquatic organisms	freshwater	short-term (single instance)
Diethylene glycol monohexyl ether	112-59-4	PNEC	0.196 mg/l	aquatic organisms	marine water	short-term (single instance)
Diethylene glycol monohexyl ether	112-59-4	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Diethylene glycol monohexyl ether	112-59-4	PNEC	10.7 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Diethylene glycol monohexyl ether	112-59-4	PNEC	1.07 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Diethylene glycol monohexyl ether	112-59-4	PNEC	0.995 mg/kg	terrestrial organisms	soil	short-term (single instance)
Cocamidopropyl betaine	61789-40-0	PNEC	3.2 µg/l	aquatic organisms	freshwater	short-term (single instance)
Cocamidopropyl betaine	61789-40-0	PNEC	0.32 µg/l	aquatic organisms	marine water	short-term (single instance)
Cocamidopropyl betaine	61789-40-0	PNEC	300 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Cocamidopropyl betaine	61789-40-0	PNEC	0.219 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)



Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Cocamidopropyl betaine	61789-40-0	PNEC	21.9 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Cocamidopropyl betaine	61789-40-0	PNEC	41.9 µg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls
General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Color	clear
Odor	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined (non-flammable)

Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	Not available. This property is not relevant for the safety and classification of this product.
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapor pressure	0.999 hPa at 87.46 °C
----------------	-----------------------

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	(liquid)
--------------------------	----------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.



Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Based on available data, the classification criteria are not met.

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Diethylene glycol monoethyl ether	112-59-4	dermal	1,100 mg/kg
disodium metasilicate	6834-92-0	oral	770 mg/kg
disodium metasilicate	6834-92-0	inhalation: vapor	>2.06 mg/l/4h
disodium metasilicate	6834-92-0	inhalation: dust/mist	0.5 mg/l/4h

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number	not subject to transport regulations
14.2 UN proper shipping name	not relevant
14.3 Transport hazard class(es)	none
14.4 Packing group	not assigned
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations



Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed or exempt from listing

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance	CAS No	Remarks	Effective date
Diethylene glycol monoethyl ether		R - (OCH ₂ CH ₂) _n - OR' Where: n = 1, 2, or 3; R = alkyl C7 or less; or R = phenyl or alkyl substituted phenyl; R' = H or alkyl C7 or less; or OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or sulfonate.	1995-01-01

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Water	7732-18-5	solvents	
Diethylene glycol monoethyl ether	112-59-4		
disodium metasilicate	6834-92-0	pH Adjuster	
Cocamidopropyl betaine	61789-40-0	surfactant	



Safety Data Sheet
acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

Name of substance	CAS No	Functionality	Authoritative Lists
Tetrasodium ethylenediamine tetraacetate	64-02-8	chelating agent	
Sodium Caprylyl Sulfonate	5324-84-5	surfactant	
Salt	7647-14-5	preservative	
Triethylene glycol monoethyl ether			CA TACs
Sodium Glycolate	2836-32-0	gelling agent	
isopropyl alcohol	67-63-0	solvents	OEHHA RELS
Sodium sulfate	7757-82-6	filler	
Hexoxyethanol	112-25-4		
sodium hydroxide	1310-73-2	pH Adjuster	OEHHA RELS
Triethylene glycol	112-27-6	solvents	
diethylene glycol	111-46-6	solvents	
Trisodium NTA	5064-31-3	chelating agent	

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
Diethylene glycol monoethyl ether		1022			1.0 %

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Diethylene glycol monoethyl ether	112-59-4		

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
GLYCOL ETHERS		E

Legend

E Environmental hazard

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

Proposition 65 List of chemicals

Name acc. to inventory	CAS No	Remarks	Type of the toxicity
formaldehyde	50-00-0	gas	cancer

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	0	material that will not burn under typical fire conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	0	material that will not burn under typical fire conditions
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed

Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

Country	Inventory	Status
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2		- Precautionary statements: change in the listing (table)	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
3.2		Description of the mixture: change in the listing (table)	yes
7.2	- Packaging compatibilities: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.		yes
8.2	Respiratory protection: In case of inadequate ventilation wear respiratory protection.		yes
9.1	Appearance		yes
9.1	Other safety parameters		yes
9.1	Flammability (solid, gas): not relevant, (fluid)	Flammability: non-combustible	yes
9.1		Lower and upper explosion limit: not determined (non-flammable)	yes
9.1	Evaporation rate: Not determined		yes
9.1		Decomposition temperature: not relevant	yes
9.1		Kinematic viscosity: Not available. This property is not relevant for the safety and classification of this product.	yes
9.1		Density and/or relative density	yes
9.1	Vapor density: this information is not available		yes
9.1	Viscosity: not determined		yes
9.1	Explosive properties: none		yes
9.1	Oxidizing properties: none		yes
9.1	Particle: not relevant (liquid)	Particle characteristics: (liquid)	yes
9.2	other information: there is no additional information	Other information	yes
9.2		Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant	yes
9.2		Other safety characteristics: there is no additional information	yes
11.1	Acute toxicity:	Acute toxicity:	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
	Shall not be classified as acutely toxic.	Based on available data, the classification criteria are not met.	
11.1	Skin corrosion/irritation: Shall not be classified as corrosive/irritant to skin.	Skin corrosion/irritation: Based on available data, the classification criteria are not met.	yes
11.1	Germ cell mutagenicity: Shall not be classified as germ cell mutagenic.	Germ cell mutagenicity: Based on available data, the classification criteria are not met.	yes
11.1	Carcinogenicity: Shall not be classified as carcinogenic.	Carcinogenicity: Based on available data, the classification criteria are not met.	yes
11.1	Reproductive toxicity: Shall not be classified as a reproductive toxicant.	Reproductive toxicity: Based on available data, the classification criteria are not met.	yes
11.1	Specific target organ toxicity - single exposure: Shall not be classified as a specific target organ toxicant (single exposure).	Specific target organ toxicity - single exposure: Based on available data, the classification criteria are not met.	yes
11.1	Specific target organ toxicity - repeated exposure: Shall not be classified as a specific target organ toxicant (repeated exposure).	Specific target organ toxicity - repeated exposure: Based on available data, the classification criteria are not met.	yes
11.1	Aspiration hazard: Shall not be classified as presenting an aspiration hazard.	Aspiration hazard: Based on available data, the classification criteria are not met.	yes
13.1	Waste treatment of containers/packages: Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	Waste treatment of containers/packages: Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	yes
14.1	UN number	UN number: not subject to transport regulations	yes
14.1	DOT: UN 1760		yes
14.1	IMDG-Code: UN 1760		yes
14.1	ICAO-TI: UN 1760		yes
14.2	DOT: Corrosive liquid, n.o.s.		yes
14.2	IMDG-Code: CORROSIVE LIQUID, N.O.S.		yes
14.2	ICAO-TI: Corrosive liquid, n.o.s.		yes
14.2	Technical name (hazardous ingredients): Hexoxyethanol, disodium metasilicate		yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.3	DOT: 8		yes
14.3	IMDG-Code: 8		yes
14.3	ICAO-TI: 8		yes
14.4	DOT: III		yes
14.4	IMDG-Code: III		yes
14.4	ICAO-TI: III		yes
14.7	Particulars in the shipper's declaration: UN1760, Corrosive liquid, n.o.s., (Hexoxyethanol, disodium metasilicate, solution), 8, III		yes
14.7	Reportable quantity (RQ): 6,250,000 lbs (2,837,500 kg) (formaldehyde ... %) (sodium hydroxide)		yes
14.7	Danger label(s): 8		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): IB3, T7, TP1, TP28		yes
14.7	ERG No: 154		yes
14.7	Particulars in the shipper's declaration: UN1760, CORROSIVE LIQUID, N.O.S., (Hexoxyethanol, disodium metasilicate, solution), 8, III		yes
14.7	Marine pollutant: -		yes
14.7	Danger label(s): 8		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): 223, 274		yes
14.7	Excepted quantities (EQ): E1		yes
14.7	Limited quantities (LQ): 5 L		yes
14.7	EmS:		yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
	F-A, S-B		
14.7	Stowage category: A		yes
14.7	Particulars in the shipper's declaration: UN1760, Corrosive liquid, n.o.s., (Hexoxyethanol, disodium metasilicate, solution), 8, III		yes
14.7	Danger label(s): 8		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): A3		yes
14.7	Excepted quantities (EQ): E1		yes
14.7	Limited quantities (LQ): 1 L		yes
14.2	UN proper shipping name	UN proper shipping name: not relevant	yes
14.3	Transport hazard class(es)	Transport hazard class(es): none	yes
14.4	Packing group	Packing group: not assigned	yes
14.7	Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information	Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information: Not subject to transport regulations.	yes
14.7	International Maritime Dangerous Goods Code (IMDG) - Additional information	International Maritime Dangerous Goods Code (IMDG) - Additional information: Not subject to IMDG.	yes
14.7	International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information	International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information: Not subject to ICAO-IATA.	yes
15.1		Superfund Amendment and Reauthorization Act (SARA TITLE III)	yes
15.1		Specific Toxic Chemical Listings (EPCRA Section 313)	yes
15.1		Toxics Release Inventory: Specific Toxic Chemical Listings: change in the listing (table)	yes
15.1		NPCA-HMIS® III: change in the listing (table)	yes

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel and Tire Cleaner

Version number: 3.0
Replaces version of: 2025-03-20 (2)

Revision: 2026-05-20

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.