

Safety Data Sheet

according to WHMIS

Tar-X

Date (latest revision): 04.04.2023

Page 1 of 11

1. Identification**Product identifier**

Tar-X

Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Automotive care products

Uses advised against

any non-intended use.

Details of the supplier of the safety data sheet

Company name: Centre de l'auto Éléance
Street: 9400 rue John-Simons, Suite 100
Place: CDN-G2B0S9 Québec, QC
Telephone: +1 418-847-4747
E-mail: centre.auto.elegance@gmail.com
Contact person: Keven Labonté-Tremblay
Internet: <https://centredelautoelegance.ca/>

Emergency telephone number: +1 418-847-4747**2. Hazard identification****Classification of the substance or mixture****WHMIS 2015**

Flammable liquids: Flam. Liq. 3
Skin corrosion/irritation: Skin Irrit. 2
Serious eye damage/eye irritation: Eye Dam. 1
Respiratory or skin sensitization: Skin Sens. 1
Specific target organ toxicity - single exposure: STOT SE 3 (respiratory tract irritation)
Aspiration hazard: Asp. Tox. 1

Label elements**WHMIS 2015****Signal word:** Danger**Pictograms:****Hazard statements**

Flammable liquid and vapour.
May be fatal if swallowed and enters airways.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
May cause respiratory irritation.

Precautionary statements

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Safety Data Sheet

according to WHMIS

Tar-X

Date (latest revision): 04.04.2023

Page 2 of 11

Do NOT induce vomiting.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container to local/regional/national/international regulations.

Other hazards

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

3. Composition/information on ingredients**Mixtures****Relevant ingredients**

CAS No	Chemical name	Quantity
97-64-3	ethyl lactate; ethyl DL-lactate	60 - < 80 % (*)
8028-48-6	Orange, sweet, ext.	15 - < 40 % (*)

(*) The actual concentration is withheld as a trade secret.

4. First-aid measures**Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunk in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

Most important symptoms and effects, whether acute or delayed

See sections 2 and 11

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO₂). Dry extinguishing powder. Alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

Specific hazards arising from the hazardous product

Combustible. In case of fire and/or explosion do not breathe fumes. Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO₂).

Safety Data Sheet

according to WHMIS

Tar-X

Date (latest revision): 04.04.2023

Page 3 of 11

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Co-ordinate fire-fighting measures to the fire surroundings.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Ventilate affected area.
Do not breathe gas/vapour/aerosol. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special measures are necessary.

Environmental precautions

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up**For containment**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

Handling and storage: 7
Personal protection equipment: see section 8
Disposal: see section 13

7. Handling and storage**Precautions for safe handling****Advice on safe handling**

Provide adequate ventilation as well as local exhaust at critical locations.
Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges.
Flammable vapours can accumulate in head space of closed systems. In use, may form flammable/explosive vapour-air mixture. Heating causes rise in pressure with risk of bursting.

Advice on general occupational hygiene

Always close containers tightly after the removal of product. When using do not eat, drink or smoke. Wash hands before breaks and after work.

Further information on handling

General protection and hygiene measures: See section 8.

Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Protect against direct sunlight.
Ensure adequate ventilation of the storage area.
Make sure spills can be contained (e.g. sump pallets or kerbed areas).

Hints on joint storage

Do not store together with: Gas. Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating

Safety Data Sheet

according to WHMIS

Tar-X

Date (latest revision): 04.04.2023

Page 4 of 11

substances and mixtures. Substances and mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. ammonium nitrate. Self-reactive substances and mixtures. Organic peroxides. Non-combustible toxic substances. Radioactive substances. Infectious substances.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.
Protect against: UV-radiation/sunlight. heat. Humidity frost.
storage temperature: 15-25°C

8. Exposure controls/Personal protection**Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

Exposure controls**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.
Provide adequate ventilation.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear safety glasses; chemical goggles (if splashing is possible). CSA Z94.3

Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of the glove material: 0,4 mm

Breakthrough time \geq 8 h

Butyl rubber. - Thickness of the glove material: 0,5 mm

Breakthrough time \geq 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of the glove material: 0,5 mm

Breakthrough time \geq 8 h

NBR (Nitrile rubber). - Thickness of the glove material: 0,35 mm

Breakthrough time \geq 8 h

PVC (Polyvinyl chloride). - Thickness of the glove material: 0,5 mm

Breakthrough time \geq 8 h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The selected protective gloves should satisfy the specifications of standards like ISO 374.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-Exceeding exposure limit values

-Insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: Particulate Respirators, Standard: 42 CFR Part 84 or DIN 143 or regional standards like Z94.4. Type: P1-3

Safety Data Sheet

according to WHMIS

Tar-X

Date (latest revision): 04.04.2023

Page 5 of 11

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state:	liquid	
Colour:	transparent	
Odour:	characteristic	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		70 °C
Flammability:		not determined
Lower explosive limits:		not determined
Upper explosive limits:		not determined
Flash point:		48 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not relevant
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		not determined
Solubility in other solvents		
not determined		
Dissolution rate:		not relevant
Partition coefficient n-octanol/water:		not relevant
Dispersion stability:		not relevant
Vapour pressure:		not determined
Density:		not determined
Bulk density:		not relevant
Relative vapour density:		not determined
Particle characteristics:		not relevant

Other information**Information with regard to physical hazard classes**

Explosive properties

In use, may form flammable/explosive vapour-air mixture.

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

not relevant

Gas:

not determined

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

not determined

Solvent separation test:

not determined

Solvent content:

not determined

Solid content:

not determined

Sublimation point:

not relevant

Softening point:

not relevant

Pour point:

not relevant

Safety Data Sheet

according to WHMIS

Tar-X

Date (latest revision): 04.04.2023

Page 6 of 11

Viscosity / dynamic:

not determined

Flow time:

not determined

10. Stability and reactivity**Reactivity**

No information available.

Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Refer to chapter 10.5.

Conditions to avoid

Protect against: UV-radiation/sunlight. heat. moisture.

In use may form flammable/explosive vapour-air mixture.

Heating causes rise in pressure with risk of bursting.

Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong. Strong acid. strong alkalis.

Hazardous decomposition products

Does not decompose when used for intended uses.

11. Toxicological information**Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
97-64-3	ethyl lactate; ethyl DL-lactate				
	oral	LD50 mg/kg	8200	Rat	ChemID
	dermal	LD50 mg/kg	> 5000	Rabbit	ChemID

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

Sensitizing effects

May cause an allergic skin reaction. (Orange, sweet, ext.)

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (ethyl lactate; ethyl DL-lactate)

Safety Data Sheet

according to WHMIS

Tar-X

Date (latest revision): 04.04.2023

Page 7 of 11

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Specific effects in experiment on an animal

No data available.

Information on other hazards**Other information**

No data available.

Name of toxicologically synergistic products

No data available

12. Ecological information**Ecotoxicity**

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
97-64-3	ethyl lactate; ethyl DL-lactate					
	Acute algae toxicity	ErC50 mg/l	2500	96 h	Selenastrum capricornutum	EPA

Persistence and degradability

The product has not been tested.

Bioaccumulative potential**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
97-64-3	ethyl lactate; ethyl DL-lactate	-0,18

Mobility in soil

No data available.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

13. Disposal considerations**Waste treatment methods****Disposal recommendations**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

14. Transport information

Safety Data Sheet

according to WHMIS

Tar-X

Date (latest revision): 04.04.2023

Page 8 of 11

Canadian TDG

UN number: UN 1993
Proper shipping name: Flammable liquid, n.o.s. (ethyl lactate; ethyl DL-lactate, Orange, sweet, ext.)
Hazard classes: 3
Packing group: III
 Hazard label: 3



Special Provisions: 16, 150
 Limited quantity: 5 L

Marine transport (IMDG)

UN number or ID number: UN 1993
United Nations proper shipping name: FLAMMABLE LIQUID, N.O.S. (ethyl lactate; ethyl DL-lactate, Orange, sweet, ext.)
Transport hazard class(es): 3
Packing group: III
 Hazard label: 3



Marine pollutant: YES
 Special Provisions: 223 274 955
 Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: UN 1993
United Nations proper shipping name: FLAMMABLE LIQUID, N.O.S. (ethyl lactate; ethyl DL-lactate, Orange, sweet, ext.)
Transport hazard class(es): 3
Packing group: III
 Hazard label: 3



Special Provisions: A3
 Limited quantity Passenger: 10 L
 Passenger LQ: Y344
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 355
 IATA-max. quantity - Passenger: 60 L
 IATA-packing instructions - Cargo: 366
 IATA-max. quantity - Cargo: 220 L

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: Orange, sweet, ext.

Safety Data Sheet

according to WHMIS

Tar-X

Date (latest revision): 04.04.2023

Page 9 of 11

15. Regulatory information**Canadian regulations****DSL/NDSL inventory status**

All components of this product are listed in the Domestic Substances List (DSL).

National Pollutant Release Inventory (NPRI)

Canada Gazette notice with respect to substances in the National Pollutant Release Inventory (NPRI) includes the following substance: none

WHMIS classification

No data available

Provincial regulations

No data available

Additional information

This mixture is classified as hazardous in accordance with WHMIS 2015.

16. Other information**Changes**

Rev. 1,00; Initial release: 14.04.2014

Rev. 1,01; 23.05.2014

Rev. 1,02; 22.10.2014, Changes in section: 2, 3, 11, 12, 14, 15.

Rev. 2,00; 20.04.2021, Changes in section: 1-16

Rev. 2,2; 04.04.2023, Changes in section: 1, 2, 6, 8 - 12, 15, 16

Safety Data Sheet

according to WHMIS

Tar-X

Date (latest revision): 04.04.2023

Page 10 of 11

Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists
 ASTM: American Society for Testing and Materials.
 ATE: acute toxicity estimate
 BCF: Bio concentration factor
 CAS: Chemical Abstracts Service
 d: days
 DSL: Domestic Substance List; LIS: La liste intérieure des substances
 EC50: Half maximal effective concentration
 EN: European Norm
 ECHA: European Chemicals Agency
 EPA: Environmental Protection Agency
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 h: hours
 IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
 IBC: Intermediate Bulk Container
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organization
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 LOAEL: Lowest observed adverse effect level
 LOAEC: Lowest observed adverse effect concentration
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 MARPOL: marine pollution
 NOAEL: No observed adverse effect level
 NOAEC: No observed adverse effect concentration
 NTP: National Toxicology Program
 N/A: not applicable
 NDSL: Non-Domestic Substance List
 UN: United Nations
 OECD: Organisation for Economic Co-operation and Development
 OSHA: Occupational Safety and Health Administration
 PBT: Persistent bioaccumulative toxic
 RTECS: Registry of Toxic Effects of Chemical Substances
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
 SIMDUT: Système d'information sur les matières dangereuses utilisées au travail
 STEL: short-term exposure limits
 TDG: Transportation of Dangerous Goods
 TWA: time weighted average
 TWAEV: TIME-WEIGHTED AVERAGE EXPOSURE VALUE
 VOC: Volatile Organic Compounds
 WHMIS: Workplace Hazardous Materials Information System

Further Information

Classification according WHMIS 2015 (GHS): - Classification procedure:
 Health hazards: Calculation method.
 Environmental hazards: Calculation method.
 Physical hazards: On basis of test data and / or calculated. and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of

Safety Data Sheet

according to WHMIS

Tar-X

Date (latest revision): 04.04.2023

Page 11 of 11

processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)