

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Page 1/12

Issue date 03/24/2024

Reviewed on 03/24/2024

1 Identification

- **Product Identifier**
- **Trade Name: Formula 1 Carnauba Paste Wax**
- **Product Number:**
8-oz: 613761, 615026
12-oz: 613762
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** No further relevant information available.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
WEST DRIVE, LLC
1045 W. GLEN OAKS LN, SUITE 202
MEQUON, WI 53092
PHONE: 800-790-8216
- **Emergency telephone number:** 800-790-8216

2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Acute Toxicity - Oral 4	H302 Harmful if swallowed.
Skin Irritation 2	H315 Causes skin irritation.
Specific Target Organ Toxicity - Single Exposure 3	H336 May cause drowsiness or dizziness.
Flammable Liquids 4	H227 Combustible liquid.
Eye Irritation 2B	H320 Causes eye irritation.
Aquatic Acute 3	H402 Harmful to aquatic life.

- **Label elements:**
- **Hazard pictograms:**



- **Signal word:** Warning
- **Hazard-determining components of labeling:**
Distillates (petroleum), hydrotreated light
Kaolin
Ammonium Hydroxide
- **Hazard statements:**
H227 Combustible liquid.
H302 Harmful if swallowed.
H315+H320 Causes skin and eye irritation.
H336 May cause drowsiness or dizziness.
H402 Harmful to aquatic life.
- **Precautionary statements:**
P210 Keep away from flames and hot surfaces. – No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Page 2/12

Issue date 03/24/2024

Reviewed on 03/24/2024

Trade Name: Formula 1 Carnauba Paste Wax

- P264+P265 Wash thoroughly after handling. Do not touch eyes.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
- P330 Rinse mouth.
- P302+P352 If on skin: Wash with plenty of water.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P337+P317 If eye irritation persists: Get medical help.
- P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Unknown acute toxicity:**


This value refers to knowledge of known, established toxicological or ecotoxicological values. 18.9 % of the mixture consists of component(s) of unknown toxicity.

• **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

• **NFPA ratings (scale 0 - 4)**



• **HMIS-ratings (scale 0 - 4)**



• **Hazard(s) not otherwise classified (HNOC):** None known

3 Composition/Information on Ingredients

• **Chemical characterization: Substance**

• **Description:** Mixture of substances listed below with non-hazardous additions.

• **Components:**

CAS: 64742-47-8	Distillates (petroleum), hydrotreated light ⚠️ Aspiration Hazard 1, H304; ⚠️ Skin Irritation 2, H315; Specific Target Organ Toxicity - Single Exposure 3, H336; Flammable Liquids 4, H227	15-35%
CAS: 1332-58-7	Kaolin ⚠️ Acute Toxicity - Inhalation 4, H332	2-12%
CAS: 63148-62-9 RTECS: JT6485000	Polydimethylsiloxane Eye Irritation 2B, H320	2-12%

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Page 3/12

Issue date 03/24/2024

Reviewed on 03/24/2024

Trade Name: Formula 1 Carnauba Paste Wax

CAS: 56-81-5 RTECS: MA 8050000	Glycerol	≤2.5%
CAS: 8002-74-2 RTECS: RV 0350000	Paraffin Waxes	≤2.5%
CAS: 1336-21-6	Ammonium Hydroxide ⚠ Acute Toxicity - Inhalation 3, H331; ⚠ Skin Corrosion 1B, H314; Eye Damage 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Toxicity - Oral 4, H302 Specific concentration limit: Specific Target Organ Toxicity - Single Exposure 3; H335: C ≥ 5 % vPvB	≤2.5%

• **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

* 4 First-Aid Measures

• **Description of first aid measures**

• **General information:** If symptoms persist, call a physician.

• **After inhalation:**

Remove victim to fresh air. If difficulty of breathing persists seek medical attention. Overexposure of vapors can produce headache and dizziness.

• **After skin contact:** Wash with soap and water.

• **After eye contact:** Flush with water for 15 minutes. If irritation persists get medical attention.

• **After swallowing:**

Do not induce vomiting. Contact a physician and/or local poison control center. Vomiting may cause aspiration which can result in chemical pneumonitis.

• **Information for doctor**

• **Most important symptoms and effects, both acute and delayed:**

Kaolin: Prolonged inhalation of excessive levels of kaolin may cause a benign pneumoconiotic condition, not normally associated with a decrement in lung function. In cases of long-term exposure to extremely high levels of dust, progressive fibrosis may occur with lung function impairment.

• **Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

5 Fire-Fighting Measures

• **Extinguishing media**

• **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• **For safety reasons unsuitable extinguishing agents:** No further relevant information.

• **Special hazards arising from the substance or mixture:**

Combustible liquid. Vapors can travel to a source of ignition and flash back.

Explosive mixtures may occur at temperatures at or above flashpoint.

• **Advice for firefighters**

• **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

• **Personal precautions, protective equipment and emergency procedures:** Not required.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Page 4/12

Issue date 03/24/2024

Reviewed on 03/24/2024

Trade Name: Formula 1 Carnauba Paste Wax

• **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.

• **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Dispose of the collected material according to regulations.

• **Reference to other sections:**

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

• **PAC-1:**

63148-62-9	Polydimethylsiloxane	65 mg/m ³
56-81-5	Glycerol	45 mg/m ³
110-91-8	morpholine	30 ppm
1336-21-6	Ammonium Hydroxide	61 ppm

• **PAC-2:**

63148-62-9	Polydimethylsiloxane	720 mg/m ³
56-81-5	Glycerol	180 mg/m ³
110-91-8	morpholine	1,300 ppm
1336-21-6	Ammonium Hydroxide	330 ppm

• **PAC-3:**

63148-62-9	Polydimethylsiloxane	4,300 mg/m ³
56-81-5	Glycerol	1,100 mg/m ³
110-91-8	morpholine	8000** ppm
1336-21-6	Ammonium Hydroxide	2,300 ppm

* **7 Handling and Storage**

• **Handling**

• **Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

• **Information about protection against explosions and fires:** No special measures required.

• **Conditions for safe storage, including any incompatibilities**

• **Storage**

• **Requirements to be met by storerooms and receptacles:**

Avoid contact with eyes. Do not ingest. Good hygiene practices should be followed when handling this material. Wash thoroughly after handling.

• **Information about storage in one common storage facility:**

Keep container tightly closed and in a cool, well ventilated area. Keep from excessive heat and freezing.

• **Further information about storage conditions:** None.

• **Specific end use(s):** No further relevant information available.

* **8 Exposure Controls/Personal Protection**

• **Additional information about design of technical systems:** No further data; see section 7.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Page 5/12

Issue date 03/24/2024

Reviewed on 03/24/2024

Trade Name: Formula 1 Carnauba Paste Wax

- **Control parameters:**

- **Components with occupational exposure limits:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

64742-47-8 Distillates (petroleum), hydrotreated light	
OSHA PEL	Long-term value: 5 mg/m ³
1332-58-7 Kaolin	
PEL	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV	Long-term value: 2* mg/m ³ E; respirable particulate matter, A4
56-81-5 Glycerol	
PEL	Long-term value: 15* 5** mg/m ³ mist; *total dust **respirable fraction
TLV	TLV withdrawn-insufficient data human occup. exp.
8002-74-2 Paraffin Waxes	
REL	Long-term value: 2 mg/m ³
TLV	Long-term value: 2 mg/m ³

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

- **Exposure controls:**

- **Personal protective equipment**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- **Breathing equipment:** Not required.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material:**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Page 6/12

Issue date 03/24/2024

Reviewed on 03/24/2024

Trade Name: Formula 1 Carnauba Paste Wax

· **Eye protection:**



Safety glasses

· **Limitation and supervision of exposure into the environment:**

Keep away from drains, surface and ground waters.
Avoid release into the environment.

9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Paste
Color: Yellow
Odor: Mild Soap Smell
Odor threshold: Not determined.

· **pH-value @ 20 °C (68 °F):** 8.5

· **Change in condition**

Melting point/Melting range: Not determined.
Boiling point/Boiling range: Not determined.

· **Flash point:** >63 °C (>145.4 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Auto igniting:** Not applicable

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not self-igniting.

· **Danger of explosion:** Not determined.

· **Explosion limits:**

Lower: Not determined.
Upper: Not determined.

· **Vapor pressure:** Not determined.

· **Density @ 20 °C (68 °F):** 1 g/cm³ (8.345 lbs/gal)

· **Relative density:** Not determined.

· **Vapor density:** Not determined.

· **Evaporation rate:** Not determined.

· **Solubility in / Miscibility with:**

Water: Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic: Not determined.
Kinematic: Not determined.

· **Other information:** No further relevant information available.

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Page 7/12

Issue date 03/24/2024

Reviewed on 03/24/2024

Trade Name: Formula 1 Carnauba Paste Wax

* 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:**
Product is stable under normal conditions.
Nitrous oxides and ammonical vapors can form in low levels during combustion.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Heat, flame and ignition sources.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

* 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

64742-47-8 Distillates (petroleum), hydrotreated light

Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

1332-58-7 Kaolin

Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (Rat)
Inhalative	LC50/4 h	>2 mg/l (Rat)

56-81-5 Glycerol

Oral	LD50	12,600 mg/kg (Rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50/96 hours	>50,000 mg/l (Trout)

8002-74-2 Paraffin Waxes

Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/96 hours	>100 mg/l (Trout)

1336-21-6 Ammonium Hydroxide

Oral	LD50	350 mg/kg (RAT) Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter, Bladder: Other changes.
Inhalative	LC50/96 hours	8.2 mg/l (Pimephales)

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** No irritating effect.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Page 8/12

Issue date 03/24/2024

Reviewed on 03/24/2024

Trade Name: Formula 1 Carnauba Paste Wax

- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**
 - Group 1 - Carcinogenic to humans
 - Group 2A - Probably carcinogenic to humans
 - Group 2B - Possibly carcinogenic to humans
 - Group 3 - Not classifiable as to its carcinogenicity to humans
 - Group 4 - Probably not carcinogenic to humans

110-91-8	morpholine	3
• NTP (National Toxicology Program):		
None of the ingredients are listed.		
• OSHA-Ca (Occupational Safety & Health Administration):		
None of the ingredients are listed.		

12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:**
Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

64742-47-8 Distillates (petroleum), hydrotreated light		
EC50	25 mg/l (Trout) (OECD Test Guideline 203, 96 hour, Static Test)	
8002-74-2 Paraffin Waxes		
EC50	>10,000 mg/l (Daphnia)	
1336-21-6 Ammonium Hydroxide		
EC50	0.66 mg/l (Daphnia)	
	0.66 mg/l (Water flea)	

- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
Poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.

• vPvB:		
1336-21-6	Ammonium Hydroxide	

- **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household waste. Do not allow product to reach sewage system.
Observe all federal, state and local environmental regulations when disposing of this material.

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Page 9/12

Issue date 03/24/2024

Reviewed on 03/24/2024

Trade Name: Formula 1 Carnauba Paste Wax

- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

- **UN-Number:** Non-Regulated Material
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:** Non-Regulated Material
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
No further relevant information available.
- **SARA (Superfund Amendments and Reauthorization):**

· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
1336-21-6	Ammonium Hydroxide
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
None of the ingredients are listed.	
· California Proposition 65:	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· New Jersey Right-to-Know List:	
1332-58-7	Kaolin
56-81-5	Glycerol

(Contd. on page 10)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Page 10/12

Issue date 03/24/2024

Reviewed on 03/24/2024

Trade Name: Formula 1 Carnauba Paste Wax

8002-74-2	Paraffin Waxes	
110-91-8	morpholine	
1336-21-6	Ammonium Hydroxide	
· New Jersey Special Hazardous Substance List:		
110-91-8	morpholine	CO, F3, R1
1336-21-6	Ammonium Hydroxide	CO
· Pennsylvania Right-to-Know List:		
1332-58-7	Kaolin	
56-81-5	Glycerol	
8002-74-2	Paraffin Waxes	
1336-21-6	Ammonium Hydroxide	
· Pennsylvania Special Hazardous Substance List:		
1336-21-6	Ammonium Hydroxide	E

· Carcinogenic categories:

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH):

1332-58-7	Kaolin	2 mg/m ³
110-91-8	morpholine	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



· Signal word: Warning

· Hazard-determining components of labeling:

Distillates (petroleum), hydrotreated light

Kaolin

Ammonium Hydroxide

· Hazard statements:

H227 Combustible liquid.

H302 Harmful if swallowed.

H315+H320 Causes skin and eye irritation.

H336 May cause drowsiness or dizziness.

H402 Harmful to aquatic life.

· Precautionary statements:

P210 Keep away from flames and hot surfaces. – No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264+P265 Wash thoroughly after handling. Do not touch eyes.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

(Contd. on page 11)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Page 11/12

Issue date 03/24/2024

Reviewed on 03/24/2024

Trade Name: Formula 1 Carnauba Paste Wax

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P330	Rinse mouth.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P317	If eye irritation persists: Get medical help.
P370+P378	In case of fire: Use CO ₂ , powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

• **National regulations:**

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• **Contact:**

• **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health Administration
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flammable Liquids 4: Flammable liquids – Category 4
Acute Toxicity - Inhalation 3: Acute toxicity – Category 3
Acute Toxicity - Inhalation 4: Acute toxicity – Category 4
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Damage 1: Serious eye damage/eye irritation – Category 1
Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B

(Contd. on page 12)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Page 12/12

Issue date 03/24/2024

Reviewed on 03/24/2024

Trade Name: Formula 1 Carnauba Paste Wax

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

Aspiration Hazard 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106