



SAFETY DATA SHEET

In accordance with OSHA 29 CFR 1910.1200

NEVER SEEZ BLUE MOLY
Revision Number 3

Revision date 28-Apr-2025
Supersedes date 26-Mar-2019

1. Identification

1.1. Product identifier

Product Name NEVER SEEZ BLUE MOLY

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Lubricant
Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.
11320 W. Watertown Plank Road
Wauwatosa, Wisconsin 53226 USA
Phone: +1(800) 726-7845 (Domestic Toll Free)
Phone: +1 (414) 774-2250 (International)

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center)
Chemtrec: 1-800-424-9300 (US) , 1-703-527-3887 (Outside U.S.)
Rocky Mountain Poison Center: 1-866-767-5089

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label elements

EMERGENCY OVERVIEW

Danger

Hazard statements

May cause an allergic skin reaction
Suspected of causing cancer
Causes damage to organs through prolonged or repeated exposure

SAFETY DATA SHEET

NEVER SEEZ BLUE MOLY
Revision Number 3

Revision date 28-Apr-2025
Supersedes date 26-Mar-2019



Appearance Paste

Physical state Solid

Odor Petroleum

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection
Contaminated work clothing must not be allowed out of the workplace
Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
IF ON SKIN: Wash with plenty of water and soap
If skin irritation or rash occurs: Get medical advice/attention
Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Information

No information available.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%
Nickel	7440-02-0	7 - <13
Molybdenum(IV) sulfide	1317-33-5	5 - <10
Ferrate(4-), hexakis(cyano-C)-, ammonium iron(3+) (1:1:1), (OC-6-11)-	25869-00-5	5 - <10
Zinc oxide	1314-13-2	1 - <5
Aluminum	7429-90-5	0.1 - <1

**The exact percentage (concentration) of composition has been withheld as a trade secret*

SAFETY DATA SHEET

NEVER SEEZ BLUE MOLY
Revision Number 3

Revision date 28-Apr-2025
Supersedes date 26-Mar-2019

4. First-aid measures

4.1. Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Itching. Rashes. Hives.
Effects of Exposure	No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	May cause sensitization in susceptible persons. May cause sensitization by skin contact. Treat symptomatically.
---------------------------	-----------------------------------------------------------------------------------------------------------------

5. Fire-Fighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous combustion products	Carbon monoxide. Nitrogen oxides (NOx). Zinc oxide. Sulfur oxides.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
-----------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------

SAFETY DATA SHEET

NEVER SEEZ BLUE MOLY
Revision Number 3

Revision date 28-Apr-2025
Supersedes date 26-Mar-2019

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Stop leak if you can do it without risk. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes or clothing. Do not touch damaged packages or spilled material. Wash thoroughly after handling.
Other information	Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.
----------------------------------	--------------------------------------------------------------------------------------------------------------------------

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use personal protective equipment as required. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.
Reference to other sections	See section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated clothing and wash before reuse.
--------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
---------------------------	--------------------------------------------------------------------------

7.3 References to other sections

Reference to other sections	Section 10: STABILITY AND REACTIVITY Section 13: DISPOSAL CONSIDERATIONS
------------------------------------	-----------------------------------------------------------------------------

8. Exposure Controls/Personal Protection

8.1. Control parameters

Exposure Limits	This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.
------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SAFETY DATA SHEET

NEVER SEEZ BLUE MOLY
Revision Number 3

Revision date 28-Apr-2025
Supersedes date 26-Mar-2019

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Nickel 7440-02-0	TWA: 1.5 mg/m ³ inhalable particulate matter	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 10 mg/m ³ TWA: 0.015 mg/m ³
Molybdenum(IV) sulfide 1317-33-5	TWA: 10 mg/m ³ Mo inhalable particulate matter TWA: 3 mg/m ³ Mo respirable particulate matter	TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ Mo	IDLH: 5000 mg/m ³ Mo
Ferrate(4-), hexakis(cyano-C)-, ammonium iron(3+) (1:1:1), (OC-6-11)- 25869-00-5	TWA: 1 mg/m ³ Fe	TWA: 5 mg/m ³ CN (vacated) TWA: 1 mg/m ³ Fe (vacated) TWA: 5 mg/m ³ S* as CN	IDLH: 25 mg/m ³ CN TWA: 1 mg/m ³ Fe
Zinc oxide 1314-13-2	TWA: 2 mg/m ³ respirable particulate matter STEL: 10 mg/m ³ respirable particulate matter	TWA: 5 mg/m ³ fume TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 5 mg/m ³ fume (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction (vacated) STEL: 10 mg/m ³ fume	IDLH: 500 mg/m ³ Ceiling: 15 mg/m ³ dust TWA: 5 mg/m ³ dust and fume STEL: 10 mg/m ³ fume
Aluminum 7429-90-5	TWA: 1 mg/m ³ respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust

Chemical name	Argentina	Brazil	S.D. 594/1999	Colombia
Nickel 7440-02-0	TWA-CMP: 1.5 mg/m ³ ; inhalable fraction	TWA-LT: 1.5 mg/m ³ ; inhalable particulate matter	TWA-LPP: 0.88 mg/m ³ ;	TWA: 1.5mg/m ³
Molybdenum(IV) sulfide 1317-33-5	TWA-CMP: 10 mg/m ³ ; inhalable fraction TWA-CMP: 3 mg/m ³ ; respirable fraction	TWA-LT: 10 mg/m ³ ; inhalable particulate matter TWA-LT: 3 mg/m ³ ; respirable particulate matter	TWA-LPP: 8.75 mg/m ³ ;	TWA: 10mg/m ³ TWA: 3mg/m ³
Ferrate(4-), hexakis(cyano-C)-, ammonium iron(3+) (1:1:1), (OC-6-11)- 25869-00-5	TWA-CMP: 1 mg/m ³ ; Ceiling (CMP-C): 5 mg/m ³ ; Sk	TWA-LT: 1 mg/m ³ ;	Ceiling (LPA): 4.7 ppm; Ceiling (LPA): 5 mg/m ³ ;	TWA: 1mg/m ³
Zinc oxide 1314-13-2	TWA-CMP: 5 mg/m ³ ; fume TWA-CMP: 10 mg/m ³ ; dust STEL (CMP-CPT): 10 mg/m ³ ; fume	TWA-LT: 2 mg/m ³ ; respirable particulate matter STEL: 10 mg/m ³ ; respirable particulate matter	TWA-LPP: 4.4 mg/m ³ ;fume STEL-LPT: 10 mg/m ³ ; fume	STEL: 10mg/m ³ TWA: 2mg/m ³
Aluminum 7429-90-5	TWA-CMP: 10 mg/m ³ ; dust	TWA-LT: 1 mg/m ³ ; respirable particulate matter	TWA-LPP: 8.75 mg/m ³ ; TWA-LPP: 4.5 mg/m ³ ;respirable fraction	TWA: 1mg/m ³

SAFETY DATA SHEET

NEVER SEEZ BLUE MOLY
Revision Number 3

Revision date 28-Apr-2025
Supersedes date 26-Mar-2019

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Nickel 7440-02-0	TWA: 1.5mg/m ³	TWA: 1.5mg/m ³	1.5 mg/m ³ TWA (inhalable particulate matter)	TWA: 1.5 mg/m ³
Molybdenum(IV) sulfide 1317-33-5	-	TWA: 3mg/m ³ TWA: 10mg/m ³	10 mg/m ³ TWA (inhalable particulate matter, as Mo); 3 mg/m ³ TWA (respirable particulate matter, as Mo)	TWA: 10 mg/m ³ TWA: 3 mg/m ³
Ferrate(4-), hexakis(cyano-C)-, ammonium iron(3+) (1:1:1), (OC-6-11)- 25869-00-5	-	TWA: 1mg/m ³	1 mg/m ³ TWA (as Fe)	TWA: 1 mg/m ³
Zinc oxide 1314-13-2	STEL: 10mg/m ³ TWA: 2mg/m ³	STEL: 10mg/m ³ TWA: 2mg/m ³ TWA: 10mg/m ³	10 mg/m ³ STEL (respirable particulate matter) 2 mg/m ³ TWA (respirable particulate matter)	STEL: 10 mg/m ³ TWA: 2 mg/m ³ TWA: 10 mg/m ³
Aluminum 7429-90-5	TWA: 1mg/m ³	TWA: 10mg/m ³	1 mg/m ³ TWA (respirable particulate matter)	TWA: 10 mg/m ³

8.2. Exposure controls

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash hands before breaks and immediately after handling the product. Contaminated work clothing must not be allowed out of the workplace. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended.

9. Physical and Chemical Properties

SAFETY DATA SHEET

NEVER SEEZ BLUE MOLY
Revision Number 3

Revision date 28-Apr-2025
Supersedes date 26-Mar-2019

9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Paste
Color	Blue
Odor	Petroleum
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	Not applicable Insoluble in water
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	246 °C / 475 °F	
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	Insoluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

9.2. Other information

Explosive properties	No information available	
Oxidizing properties	No information available	
Solvent content (%)	No information available	
Solid content (%)	100	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	No information available
Liquid Density	1.2 g/cm ³	
Bulk density	No information available	

10. Stability and Reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

SAFETY DATA SHEET

NEVER SEEZ BLUE MOLY
Revision Number 3

Revision date 28-Apr-2025
Supersedes date 26-Mar-2019

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied

11. Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. (based on components). Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>5000 mg/kg
ATEmix (dermal)	>5000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapor)	>20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nickel 7440-02-0	>9000 mg/kg (Rattus)	-	>10.2 mg/L (Rattus) 1 h
Molybdenum(IV) sulfide 1317-33-5	-	-	>2820 mg/m ³ (Rattus) 4 h
Ferrate(4-), hexakis(cyano-C)-, ammonium iron(3+) (1:1:1), (OC-6-11)- 25869-00-5	>5000 mg/kg (Rattus)	> 2000 mg/kg (Rat)	-
Zinc oxide 1314-13-2	>5000 mg/kg (Rattus)	LD50 >2000 mg/Kg (Rattus) (OECD 402)	LC50 (4h) >5.7 mg/l

SAFETY DATA SHEET

NEVER SEEZ BLUE MOLY
Revision Number 3

Revision date 28-Apr-2025
Supersedes date 26-Mar-2019

Aluminum 7429-90-5	LD50 >10,000 mg/Kg (Rattus)(OECD 401)	-	> 0.888888 mg/L (Rat) 4 h
-----------------------	------------------------------------------	---	-----------------------------

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Nickel 7440-02-0	A5 - Not Suspected as a Human Carcinogen	Group 2B	Reasonably Anticipated	X
Aluminum 7429-90-5	A4 - Not Classifiable as a Human Carcinogen	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A4 - Not Classifiable as a Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

Occupational Safety and Health Administration of the US Department of Labor

X - Present

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Target organ effects Liver, Respiratory system, Eyes, Skin, Gastrointestinal tract (GI), Lungs, Nasal Cavities.

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

12.1. Toxicity

SAFETY DATA SHEET

NEVER SEEZ BLUE MOLY
Revision Number 3

Revision date 28-Apr-2025
Supersedes date 26-Mar-2019

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Nickel 7440-02-0	EC50: =1.84 - 1.96 mg/L (72h, Spirodela polyrhiza)	LC50 96 h = 1.3 mg/L (Cyprus carpio)	-	EC50: =1mg/L (48h, Daphnia magna)
Ferrate(4-), hexakis(cyano-C)-, ammonium iron(3+) (1:1:1), (OC-6-11)- 25869-00-5	-	LC50: >100mg/L (96h, Cyprinus carpio) LC50: >1000mg/L (96h, Leuciscus idus)	-	-
Zinc oxide 1314-13-2	LC 50 (72Hr) 0.136 mg/L	LC50 (96h) =0.7 mg/L (Danio rerio)	-	LC 50 (48Hr) =0.5 mg/l (Ceriodaphnia dubia)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

12.4. Mobility in soil

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

Note: The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments made in non-bulk packages (see regulatory definition). The information shown here, may not always agree with the bill of lading shipping description for the material. 49 CFR 171.4(c) "Exceptions. Except when all or part of the transportation is by vessel, the requirements of this subchapter specific to marine pollutants do not apply to non-bulk packagings transported by motor vehicle, rail car or aircraft."

DOT

UN number or ID number UN3077

SAFETY DATA SHEET

NEVER SEEZ BLUE MOLY
Revision Number 3

Revision date 28-Apr-2025
Supersedes date 26-Mar-2019

Extended proper shipping name Environmentally hazardous substance, solid, n.o.s.(Zinc oxide)
Transport hazard class(es) 9
Packing group III
Reportable Quantity (RQ) (Nickel: RQ (kg)= 45.40)
Special Provisions 8, 146, 335, 384, 441, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33
DOT Marine Pollutant I
Marine pollutant Zinc oxide
Description UN3077, Environmentally hazardous substance, solid, n.o.s.(Zinc oxide), 9, III
Emergency Response Guide Number 171

IATA

UN number or ID number UN3077
UN proper shipping name Environmentally hazardous substance, solid, n.o.s. (Zinc oxide)
Transport hazard class(es) 9
Packing group III
Special Provisions A97, A158, A179, A197, A215
Description UN3077, Environmentally hazardous substance, solid, n.o.s. (Zinc oxide), 9, III

IMDG

UN number or ID number UN3077
UN proper shipping name Environmentally hazardous substance, solid, n.o.s. (Zinc oxide)
Transport hazard class(es) 9
Packing group III
EmS-No. F-A, S-F
Special Provisions 274, 335, 375, 966, 967, 969
Marine pollutant P
IMDG Marine Pollutant Name Zinc oxide
Description UN3077, Environmentally hazardous substance, solid, n.o.s. (Zinc oxide), 9, III, Marine pollutant

15. Regulatory Information

International Inventories

TSCA	Complies
DSL	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Complies - The components of this product are either listed or exempt from listing on inventory. Active

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	CAS No.	SARA 313 - Threshold Values %
Nickel	7440-02-0	0.1
Ferrate(4-), hexakis(cyano-C)-, ammonium iron(3+) (1:1:1), (OC-6-11)-	25869-00-5	1.0
Zinc oxide	1314-13-2	1.0

SARA 311/312 Hazard Categories

US - EN

SAFETY DATA SHEET

NEVER SEEZ BLUE MOLY
Revision Number 3

Revision date 28-Apr-2025
Supersedes date 26-Mar-2019

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

16. Other Information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
STOT: Specific Target Organ Toxicity
ATE: Acute Toxicity Estimate
LC50: 50% Lethal Concentration
LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

Prepared By Product Stewardship and Regulatory Affairs.

Revision date 28-Apr-2025

Revision Note SDS sections updated. 1. 3. 4. 5. 6. 7. 8. 11. 15.

Disclaimer

All information contained herein is believed to be accurate as of the date of publication, is provided “as-is” and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. (“Company”) expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user’s application(s). **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN.** The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at

<https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-management/medical-device-policy/> which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.

End of Safety Data Sheet