

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/01/2025

Reviewed on 10/01/2025

1 Identification

- **Product identifier**
- **Trade name: Blitz All Purpose Cleaner**
- **Article number: 90010515**
- **Application of the substance / the mixture All-purpose cleaner**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Nextzett GmbH
Zum Schlahn 2
D-51709 Marienheide
Tel: +49 2264 4046908
Fax: +49 2264 2002781
Email: info@nextzett.de / www.nextzett.de
- **Information department: Chemtel**
- **Emergency telephone number: +1-800-255-3924 (USA and Canada)**

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Skin Irritation 2 H315 Causes skin irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05



GHS07



GHS08

- **Signal word Danger**

- **Hazard-determining components of labeling:**

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine
coconut oil diethanolamine condensate
alpha-Pinene

- **Hazard statements**

Causes skin irritation.

(Contd. on page 2)

US

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/01/2025

Reviewed on 10/01/2025

Trade name: Blitz All Purpose

(Contd. of page 1)

- Causes serious eye damage.
- May cause an allergic skin reaction.
- Suspected of causing cancer.
- **Precautionary statements**
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Wash hands thoroughly after handling.
- Contaminated work clothing must not be allowed out of the workplace.
- Wear protective gloves / eye protection / face protection.
- Wear protective gloves/protective clothing/eye protection/face protection.
- If on skin: Wash with plenty of water.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a poison center/doctor.
- IF exposed or concerned: Get medical advice/attention.
- Specific treatment (see on this label).
- Take off contaminated clothing and wash it before reuse.
- If skin irritation or rash occurs: Get medical advice/attention.
- Wash contaminated clothing before reuse.
- Store locked up.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 57-13-6	urea	≥2.5–<10%
CAS: 121617-08-1	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine	≥3–<10%
CAS: 111-90-0	Diethylene glycol monoethyl ether	≥2.5–<10%
CAS: 57-55-6	propane-1,2-diol	<2.5%
CAS: 67-63-0	propan-2-ol	<2.5%
CAS: 68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	<2.5%
CAS: 68603-42-9	coconut oil diethanolamine condensate Alternative CAS numbers: 68155-07-7, 8051-30-7	≥0.1–<2.5%
CAS: 80-56-8	alpha-Pinene	≥0.1–<1%

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

anionic surfactants	≥5 - <15%
phosphates, soap, amphoteric surfactants, non-ionic surfactants	<5%
perfumes (PINENE, LIMONENE, PINENE), preservation agents (SODIUM PYRITHIONE, BENZISOTHIAZOLINONE)	

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/01/2025

Reviewed on 10/01/2025

Trade name: Blitz All Purpose

(Contd. of page 2)

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

CAS: 57-13-6	urea	30 mg/m ³
CAS: 111-90-0	Diethylene glycol monoethyl ether	75 ppm
CAS: 7320-34-5	tetrapotassium pyrophosphate	61 mg/m ³
CAS: 57-55-6	propane-1,2-diol	30 mg/m ³
CAS: 67-63-0	propan-2-ol	400 ppm
CAS: 68915-31-1	polyphosphoric acids, sodium salts	9.2 mg/m ³
CAS: 102-71-6	Triethanolamine	15 mg/m ³
CAS: 1310-58-3	potassium hydroxide	0.18 mg/m ³

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/01/2025

Reviewed on 10/01/2025

· Trade name: **Blitz All Purpose Cleaner**

(Contd. of page 3)

CAS: 56-81-5	glycerol	45 mg/m ³
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	15 ppm
CAS: 111-42-2	2,2'-iminodiethanol	3 mg/m ³
· PAC-2:		
CAS: 57-13-6	urea	280 mg/m ³
CAS: 111-90-0	Diethylene glycol monoethyl ether	100 ppm
CAS: 7320-34-5	tetrapotassium pyrophosphate	680 mg/m ³
CAS: 57-55-6	propane-1,2-diol	1,300 mg/m ³
CAS: 67-63-0	propan-2-ol	2000* ppm
CAS: 68915-31-1	polyphosphoric acids, sodium salts	100 mg/m ³
CAS: 102-71-6	Triethanolamine	240 mg/m ³
CAS: 1310-58-3	potassium hydroxide	2 mg/m ³
CAS: 56-81-5	glycerol	180 mg/m ³
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	67 ppm
CAS: 111-42-2	2,2'-iminodiethanol	28 mg/m ³
· PAC-3:		
CAS: 57-13-6	urea	1,700 mg/m ³
CAS: 111-90-0	Diethylene glycol monoethyl ether	450 ppm
CAS: 7320-34-5	tetrapotassium pyrophosphate	1,200 mg/m ³
CAS: 57-55-6	propane-1,2-diol	7,900 mg/m ³
CAS: 67-63-0	propan-2-ol	12000** ppm
CAS: 68915-31-1	polyphosphoric acids, sodium salts	600 mg/m ³
CAS: 102-71-6	Triethanolamine	1,500 mg/m ³
CAS: 1310-58-3	potassium hydroxide	54 mg/m ³
CAS: 56-81-5	glycerol	1,100 mg/m ³
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	170 ppm
CAS: 111-42-2	2,2'-iminodiethanol	130 mg/m ³

7 Handling and storage

· **Handling:**

· **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Keep receptacle tightly sealed.

· **Storage class:** 12

· **Specific end use(s)** No further relevant information available.

US

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/01/2025

Reviewed on 10/01/2025

· Trade name: Blitz All Purpose Cleaner

(Contd. of page 4)

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

CAS: 57-13-6 urea

WEEL Long-term value: 10 mg/m³

CAS: 111-90-0 Diethylene glycol monoethyl ether

WEEL Long-term value: 25 ppm

CAS: 57-55-6 propane-1,2-diol

WEEL Long-term value: 10 mg/m³

CAS: 67-63-0 propan-2-ol

PEL Long-term value: 980 mg/m³, 400 ppm

REL Short-term value: 1225 mg/m³, 500 ppm

Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 984 mg/m³, 400 ppm

Long-term value: 491 mg/m³, 200 ppm

BEI, A4

CAS: 80-56-8 alpha-Pinene

TLV Long-term value: 112 mg/m³, 20 ppm

DSEN, A4

· **Ingredients with biological limit values:**

CAS: 67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/01/2025

Reviewed on 10/01/2025

· Trade name: **Blitz All Purpose Cleaner**

(Contd. of page 5)

· **Protection of hands:**



Protective gloves

Suitable chemical resistant protective gloves (EN374) also at prolonged, direct contact (recommended protection index 6, corresponding 480 minutes permeation time according to EN 374) e.g. from Nitrile Rubber (0,33-0,5 mm) Polyvinyl chloride (1mm).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Fluid
· Color:	Light blue
· Odor:	Pleasant
· Odor threshold:	Not determined.

· **pH-value at 20 °C (68 °F):** 8.3

· **Change in condition**

· Melting point/Melting range:	4 °C (39.2 °F)
· Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability:** Not applicable.

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/01/2025

Reviewed on 10/01/2025

· Trade name: **Blitz All Purpose Cleaner**

(Contd. of page 6)

· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.06 g/cm ³ (8.8457 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	7.1 %
VOC content:	7.09 %
	75.2 g/l / 0.63 lb/gal
VOC (EC)	7.09 %
· Solids content:	18.7 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
CAS: 57-13-6 urea		
Oral	LD50	8,471 mg/kg (rat)
CAS: 111-90-0 Diethylene glycol monoethyl ether		
Oral	LD50	5,500 mg/kg (rat)
Dermal	LD50	8,500 mg/kg (rabbit)
CAS: 57-55-6 propane-1,2-diol		
Oral	LD50	22,000 mg/kg (rat)

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/01/2025

Reviewed on 10/01/2025

· Trade name: **Blitz All Purpose Cleaner**

(Contd. of page 7)

Dermal	LD50	20,800 mg/kg (rabbit)
--------	------	-----------------------

CAS: 67-63-0 propan-2-ol

Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

· **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 67-63-0	propan-2-ol	3
CAS: 102-71-6	Triethanolamine	3
CAS: 68603-42-9	coconut oil diethanolamine condensate	2B
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	3
CAS: 111-42-2	2,2'-iminodiethanol	2B
CAS: 128-37-0	Butylated hydroxytoluene	3
CAS: 3844-45-9	Acid Blue 9	3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability**

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/01/2025

Reviewed on 10/01/2025

· **Trade name:** Blitz All Purpose Cleaner

· **Other adverse effects** No further relevant information available.

(Contd. of page 8)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **UN-Number**
- **DOT, IMDG, IATA** not regulated
- **UN proper shipping name**
- **DOT, IMDG, IATA** not regulated
- **Transport hazard class(es)**
- **DOT, ADN, IMDG, IATA**
- **Class** not regulated
- **Packing group**
- **DOT, IMDG, IATA** not regulated
- **Environmental hazards:** Not applicable.
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** not regulated

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

CAS: 111-90-0 Diethylene glycol monoethyl ether

CAS: 67-63-0 propan-2-ol

CAS: 111-42-2 2,2'-iminodiethanol

CAS: 1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

· **TSCA (Toxic Substances Control Act):**

CAS: 7732-18-5 water, distilled, conductivity or of similar purity

ACTIVE

(Contd. on page 10)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/01/2025

Reviewed on 10/01/2025

· Trade name: **Blitz All Purpose Cleaner**

(Contd. of page 9)

CAS: 57-13-6	urea	ACTIVE
CAS: 111-90-0	Diethylene glycol monoethyl ether	ACTIVE
CAS: 7320-34-5	tetrapotassium pyrophosphate	ACTIVE
CAS: 57-55-6	propane-1,2-diol	ACTIVE
CAS: 67-63-0	propan-2-ol	ACTIVE
CAS: 68915-31-1	polyphosphoric acids, sodium salts	ACTIVE
CAS: 68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	ACTIVE
CAS: 143-18-0	potassium (Z)-oleate	ACTIVE
CAS: 102-71-6	Triethanolamine	ACTIVE
CAS: 68603-42-9	coconut oil diethanolamine condensate	ACTIVE
CAS: 1310-58-3	potassium hydroxide	ACTIVE
CAS: 80-56-8	alpha-Pinene	ACTIVE
CAS: 68155-78-2	Heptasodium trihydrogen [[bis[2-[bis(phosphonomethyl)amino]ethyl]amino]methyl]phosphonate	ACTIVE
CAS: 56-81-5	glycerol	ACTIVE
CAS: 7647-14-5	sodium chloride	ACTIVE
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	ACTIVE
CAS: 127-91-3	beta-Pinene	ACTIVE
CAS: 3811-73-2	pyridine-2-thiol 1-oxide, sodium salt	ACTIVE
CAS: 110-41-8	2-methylundecanal	ACTIVE
CAS: 111-42-2	2,2'-iminodiethanol	ACTIVE
CAS: 68039-49-6	2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde	ACTIVE
CAS: 138-86-3	dipentene	ACTIVE
CAS: 470-82-6	eucalyptol	ACTIVE
CAS: 5989-54-8	(S)-p-mentha-1,8-diene	ACTIVE
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	ACTIVE
CAS: 128-37-0	Butylated hydroxytoluene	ACTIVE
CAS: 1222-05-5	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	ACTIVE
CAS: 469-61-4	alpha-Cedrene	ACTIVE
CAS: 3844-45-9	Acid Blue 9	ACTIVE

· **Hazardous Air Pollutants**

CAS: 111-42-2 | 2,2'-iminodiethanol

· **Proposition 65**

· **Chemicals known to cause cancer:**

CAS: 68603-42-9 | coconut oil diethanolamine condensate
CAS: 111-42-2 | 2,2'-iminodiethanol

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

(Contd. on page 11)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/01/2025

Reviewed on 10/01/2025

· Trade name: **Blitz All Purpose Cleaner**

(Contd. of page 10)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

CAS: 57-13-6	urea	II
--------------	------	----

· **TLV (Threshold Limit Value)**

CAS: 67-63-0	propan-2-ol	A4
--------------	-------------	----

CAS: 80-56-8	alpha-Pinene	A4
--------------	--------------	----

CAS: 127-91-3	beta-Pinene	A4
---------------	-------------	----

CAS: 111-42-2	2,2'-iminodiethanol	A3
---------------	---------------------	----

CAS: 128-37-0	Butylated hydroxytoluene	A4
---------------	--------------------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations:**

· **Other regulations, limitations and prohibitive regulations**

· **Substances of Very High Concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:**

· **Date of preparation / last revision** 10/01/2025 / 22

· **Abbreviations and acronyms:**

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Sensitization - Skin 1: Skin sensitization – Category 1

Carcinogenicity 2: Carcinogenicity – Category 2

· *** Data compared to the previous version altered.**